

ALSO FOR
USE ON DOGS



FLYS-X[®]

Ready to Use Insecticide
(AQUEOUS)

Contains Pyrethrins a Botanical Insecticide



ACTIVE INGREDIENTS:
PYRETHRINS 0.1%
*PIPERONYL BUTOXIDE, TECHNICAL 1.0%
INERT INGREDIENTS 98.9%
*EQUIVALENT TO MIN. 0.8% (BUTYL CARBITYL)
(6-PROPYLPIPERONYL) ETHER AND 0.2% RELATED COMPOUNDS 100%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE OTHER PRECAUTIONS ON THE BACK PANEL

32 fl oz (946 mL)



FLYS-X[®]

The Horse World's Most Trusted Name[®]

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON HORSES, PONIES AND DOGS
EFFECTIVE, FAST-ACTING, READY TO USE INSECTICIDE.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HORSE AND LIVESTOCK SPRAY

Effective, fast acting, ready to use insecticide. Apply with conventional sprayers or a cloth. To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the surface of the hair. To kill stable flies, horse flies, and deer flies, apply at a rate of 2-4 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection. To kill face flies, apply with a cloth dampened with the spray. To kill blood sucking lice, apply to the infested areas of the animal. Use a stiff brush to get the spray to the base of the hair. Repeat every 2-3 weeks if required.

DOG AND FOAL INSECTICIDE USE

To kill fleas and brown dog ticks on premises and on dogs. Effective, fast-acting insecticide. **Surface spraying:** Remove dogs prior to treatment. Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames and entire areas of floor covering. Fresh bedding should be placed in animal quarters following treatment. Allow treated surfaces to thoroughly dry before permitting dogs to reoccupy.

On Dogs and Foals: Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered including the legs and under body. While spraying, fluff the hair so spray will penetrate to the skin. Do not spray into eyes or face. Avoid contact with eyes and genitalia. Sensitivities may occur after using **ANY** pesticide product on pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. During the flea season, retreat weekly if necessary. Do not use on foals or puppies under 12 weeks.

HOUSEHOLD SPRAY

Effective fast acting ready to use spray for use in homes. Leaves no oily or objectionable residues.



Distributed by: W. F. Young, Inc.
302 Benton Drive
E. Longmeadow, MA 01028 U.S.A.
©WFY

www.absorbine.com

RM342395-10

Printed in U.S.A.

E.P.A. Reg. No. 1543-10

EPA Est. No. 11623-GA-1

Remove pets, birds, and cover fish aquariums before spraying
Indoor Application: Use of this product in food processing areas should be limited to periods when the kitchen is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Vacate areas and ventilate before reoccupying. For maximum results, a combination of spot treatment and surface spray is recommended.

Surface spraying: To kill cockroaches, palmetto bugs, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, confused flour beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and cadelles. Adjust sprayer to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, around containers of stored foods, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests, and points of entry. If surface application only is to be used, spray floors and other surfaces at the rate of 1 gallon to 750 square feet of area. Repeat application no less than 1 week if necessary.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid contact with eyes.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL STATEMENTS

PESTICIDE STORAGE: Store in a cool area above 32°F and protect from freezing. Store in original container only in a locked storage area.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Refillable container: Refill this container with pesticide only. Do not reuse this container for any other purpose.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-628-9653 for emergency medical treatment information.